

# MITE



*R · e · a · d · y t · o U · s · e*

Active Ingredients:	
Cottonseed Oil .....	0.40%
Clove Oil .....	0.20%
Garlic Extract .....	0.10%
*Other Essential Ingredients .....	99.30%
Total .....	100.00%

\*Other ingredients include: Casein, Lecithin, Soy Flour and Water

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

(See Back Panel for Additional Precautionary Statements)

TRUSTED SINCE 1926

**BONIDE®**

- Safe, Effective Results From Botanical Extracts.
- Controls Mites, Thrips & Aphids
- Can be used on Vegetables, Fruits, Nuts, Vine Crops, Berries, Herbs, Spices, Ornamentals, Greenhouse plants, Interior plants.

## MITE-X Ready To Use

- Made from Plants and Plant Extracts
- Safe, Effective Results From Botanical Extracts.
- Safe For Use In and Around the Home
- Indoor and Outdoor Use
- Controls Mites, Thrips & Aphids
- Can be used on Vegetables, Fruits, Nuts, Vine Crops, Berries, Herbs, Spices, Ornamentals, Greenhouse plants, Interior plants.
- Pleasant Odor

BN

Store and transport in an upright position.  
Buyers Guarantee Limited to Label Claims.

BONIDE PRODUCTS, INC.  
6301 Sutliff Road  
Oriskany, NY 13424

**Bonide Mite-X Ready to Use** is a pesticide for use in controlling Mites, Thrips and Aphids. Pests must come in contact with **Mite-X** in order to be affected. This product is exempt from registration with the Federal EPA under section 25(b) of FIFRA, and as such, is not registered with the Environmental Protection Agency. Bonide represents that this product and its ingredients qualify for exemption from registration under FIFRA.

**Bonide Mite-X** will control the following mites/insects:

**Mites** – (including, but not limited to) Bulb mite, Cyclamen mite, Strawberry spider mite, Pacific spider mite, European red mite, Texas Six-spotted spider mite, Two-spotted spider mite, Spruce spider mite, Southern red mite, Willamette Mite, Persea mite, Rust mite, Silver mite.



1/50 inch

**Thrips** – (including, but not limited to) Avocado thrips, Banded Greenhouse thrips, Citrus thrips, Greenhouse thrips, Onion thrips, Bean thrips, Flower thrips, Western Flower thrips.



1/25 inch

## Page: One

**Aphids** – (including, but not limited to) Asparagus aphid, Bean aphid, Brown Ambrosia aphid, Buckthorn aphid, Cabbage or Turnip aphid, Green Peach aphid, Honeysuckle aphid, Leafcurl Plum aphid, Lettuce Root aphid, Melon aphid, Onion aphid, Pea aphid, Potato aphid, Tulip aphid.



1/16-1/8 inch

### FOR GARDEN VEGETABLES, BERRIES, HERBS & SPICES

SHAKE WELL BEFORE USING

Begin applying **Mite-X** as soon as insects appear, spraying directly on insect wherever possible. Spray to provide thorough coverage to both the upper and lower leaf surfaces where insects are present. Repeat treatment as needed throughout the growing season up to the day of harvest.

### Can be used on garden vegetables, such as:

Asparagus, Beans, Blueberries, Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Celery, Corn, Cucumbers, Eggplant, Endive, Fennel, Horseradish, Melons (including cantaloupe, honeydew, muskmelon, watermelon), Okra, Parsley, Peppers, Potatoes, Raspberries, Rhubarb, Spinach, Swiss chard, Strawberries, Tomatoes.

## Page: Three

## Page: Two

### FOR ORNAMENTAL PLANTS, (Including Indoor Houseplants), SHRUBS and ROSES:

Begin applying **Mite-X** as soon as insects appear, spraying directly on insects wherever possible. As a spot treatment, apply to cover both the upper and lower leaf surfaces to the point of runoff (product begins to drip off of leaf surfaces). Repeat treatment as needed to maintain insect control. Can be used on ornamental planting such as: (including, but not limited to)

### Flowers

Ageratum, Allium, Artemisia, Aster, Astilbe, Baby's Breath, Balloon Flower, Bee Balm, Begonia, Bittersweet, Black-eyed Susan, Bleeding Heart, Calla Lily, Candytuft, Canna Lily, Caster Bean, Catmint, Chrysanthemum, Cockscomb, Colchicum, Coleus, Columbin, Coneflower, Coral Bells, Coreopsis, Cosmos, Crocus, Daffodil, Dahlia, Daisy, Daylily, Delphinium, Dusty Miller, Foxglove, Fritillaria, Geranium, Gladiola, Globe Amaranth, Hollyhock, Hosta, Hyacinth, Impatiens, Iris, Larkspur, Lenten Rose, Lily, Marigold, Nicotiana, Pansy, Paper Whites, Peony, Petunias, Phlox, Pink Dianthus, Poppy, Primrose, Salvia, Santolina, Sedum, Shasta, Daisy, Snapdragon, Snow Drops, Straw Flower, Sunflowers, Sweet Alyssum, Tulip, Violet, Yarrow, Zinnia.

## Page: Four

#### Shrubs

Andromeda, Aralia, Azalea, Barberry, Bog Rosemary, Boxwood, Butterfly Bush, Camellia, Cotoneaster, Grape Myrtle, Daphne, Euonymus, Firethorn, Flowering Almond, Forsythia, Heather, Hibiscus, Holly, Honeysuckle, Hydrangea, Juniper, Laurel, Lilac, Mahonia, Mock Orange, Mugo Pine, Nandina, Privet, Rhododendron, Shadblow/Serviceberry, Spirea, St. John's Wort, Virurnum, Weigela, Willow, Witch Hazel, Yew.

#### Evergreens

Acacia, Arborvitea, Bald Cypress, Cedar, Crabapple, Cypress, Dogwood, Fir, Hemlock, Magnolia, Pear (ornamental), Pine, Spruce, Tulip.

#### Shade Trees

Ash, Beech, Birch, Chestnut, Elm, Hackberry, Hawthorn, Hickory, Larch, Linden, Locust, Maple, Mulberry, Oak, Poplar, Red Bud, Sassafras, Sourwood, Sweet Gum, Sycamore, Walnut, Willow.

#### Ornamentals

Ajuga, Boston Ivy, Clematis, English Ivy, Fern, Honeysuckle, Lamb's Ear, Lily of the Valley, Pachysandra, Sedum, Spotted Deadnettle, Sweet Woodruff, Trumpet Creeper, Vinca, Wisteria.

#### HELPFUL TIPS when using this product:

- Begin using this product as soon as insects are present.
- Apply early in the morning or late afternoon when temperatures are lower.
- Spray directly onto insects.
- Thorough spray coverage provides best insect control.
- For severe insect infestation, rotate between an alternative product and **Mite-X** every other application.
- Do not apply to stressed, wilted or newly transplanted plants.
- **Mite-X** has not been used on all plants under all conditions. Some injury may occur to some plants at sensitive stages of growth. Open blooms of some plants can also be damaged. Before applying to a large number of plants, test **Mite-X** first, on one or two plants for potential damage.

## Page: Five

#### PRECAUTIONARY STATEMENTS

##### Hazards to Humans and Domestic Animals

**Caution:** Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

**Environmental Hazards:** Do not apply this product directly to water.

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

<b>If Swallowed</b>	Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
---------------------	--

## Page: Seven

## Page: Six

#### STORAGE & DISPOSAL

Store in a cool dry area inaccessible to children or pets. Store and transport in an upright position. **Disposal if empty:** Do not reuse container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or [1-800-CLEANUP or [www.cleanup.org](http://www.cleanup.org)] for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions. For information of pesticide products (including health concerns, medical emergencies) call the National Pesticide Information Center at 1-800-858-7378.

## Page: Eight