

Avenger® Weed Killer vs. St. Gabriel Organics Burnout II Field Test :: Dandelion



Pre-Spray



Field Test: Dandelion
April 2014 – Pennsylvania
Conditions: Sunny, Temperature 54°F



Cutting Edge Formulations, Inc.

1 Hour :: Post-Treatment



Field Test: Dandelion • Conditions: Sunny, Temperature 58°F

Observation: The weed treated with Avenger® has wilted and turned dark green.

The weed treated with BurnOut II shows slight wilting, but no change in color.



3 Hours :: Post-Treatment



Field Test: Dandelion • Conditions: Sunny, Temperature 59°F

Observation: The weed treated with Avenger® shows significant wilting, and has turned a blackish/green color with dried patches on the leaves. The weed treated with BurnOut II shows slight wilting and browning in sections.



Cutting Edge Formulations, Inc.

1 Day After Treatment



Field Test: Dandelion • Conditions: Sunny, Temperature 57°F

Observation: The weed treated with Avenger® has completely wilted, turned brown and dehydrated.

The weed treated with BurnOut II shows wilting and browning in the middle, but areas of green vegetation still appear.



16 Days After Treatment



Field Test: Dandelion

Observation: The weed treated with **Avenger®** has terminated.

The weed treated **with BurnOut II** shows re-growth.

